XML Element	Attributes	Description	Data Element	Valid Values	Data Types	Field Size	Data Required (MassHealth)
A header is required at the common version="1.0" encoders	he beginning of each XML ding="UTF-8" ?>	file as follows:					
<submission></submission>	Opening tag is required.						
	type	Describes the setting for which data is being submitted.	N/A	HOSPITAL	Character	20	Yes
	data	Describes the type of data being submitted.	N/A	CLINICAL	Character	20	Yes
	version	The version of the file layout.	N/A	3.0	Character		Yes
	action-code	Describes the intended action of the file being submitted.	N/A	ADD	Character	20	Yes
<pre><file-audit-data> sub-element of the submission data element</file-audit-data></pre>	Opening tag for file audit data	Note: This tag and the entire <file-audit-data> section are optional in the</file-audit-data>	KML document. If submitter	d, this tag contains no data. Required	d if sub-elements a	re included.	
<pre><create-date> sub-element of the file audit data element</create-date></pre>		a closing tag that is the same as the opening tag but with a forward slash. ate-date>05-10-2007					
	None	The month, day, and year the XML file was created	N/A	MM-DD-YYYY (Must be a valid date)	Date	10	Yes
sub-element of the file audit data element	Example with data: <create-time>23:01<td>The hour and minutes representing the time the file was created</td><td>N/A</td><td>HH:MM (military format with or without colon)</td><td>Time</td><td>5</td><td>Yes</td></create-time>	The hour and minutes representing the time the file was created	N/A	HH:MM (military format with or without colon)	Time	5	Yes
<pre><create-by> sub-element of the file audit data element</create-by></pre>	Each element must have a Example with data: <create-by>VendorA<td>a closing tag that is the same as the opening tag but with a forward slash.</td><td></td><td>I manded colony</td><td></td><td></td><td></td></create-by>	a closing tag that is the same as the opening tag but with a forward slash.		I manded colony			
	None	The entity that created the file	N/A		Character	50	Yes
<pre><version> sub-element of the file audit data element</version></pre>	Each element must have a Example with data: <version>1.0</version>	a closing tag that is the same as the opening tag but with a forward slash.			-		-
	None	The version of the file being submitted	N/A		Character	20	Yes
<create-by-tool> sub-element of the file audit data element</create-by-tool>	Each element must have a Example with data: <create-by-tool>CART4.</create-by-tool>	a closing tag that is the same as the opening tag but with a forward slash.  1	•		,		,
	None	Tool used to create the XML file	N/A		Character	50	Yes
	Closing tag for file audit data	Note: This tag and the entire <file-audit-data> section are optional in the 2</file-audit-data>	KML document, but if the o	pening tag of <file-audit-data> is prov</file-audit-data>	vided, then this clo	sing tag is require	d as well.
<pre><pre><pre><pre><pre><pre>Sub-element of the submission data element</pre></pre></pre></pre></pre></pre>	Opening tag for provider	Note: This tag is required in the XML document. However, it contains no	data.				

XML Element	Attributes	Description	Data Element	Valid Values	Data Types	Field Size	Data Required (MassHealth)
<pre><pre><pre><pre><pre><pre><pre>sub-element of the submission element</pre></pre></pre></pre></pre></pre></pre>	Each element must have a Example with data: <pre><pre><pre><pre><pre><pre><pre><pre></pre></pre></pre></pre></pre></pre></pre></pre>	a closing tag that is the same as the opening tag but with a forward slash.					
	None	Used to identify the provider. This will be either a valid 6-digit Medicare or 10-digit Medicaid provider ID.	Provider ID	Valid 6 or 10 digit ID	Character	10	Yes (Conditionally)
<npi>sub-element of the provider element</npi>	Each element must have a Example with data: <npi>1234567890</npi>	a closing tag that is the same as the opening tag but with a forward slash.	,		,		
	None	National Provider Identifier as assigned by CMS  Please Note: If the <provider-id> value is NOT provided then a valid <npi>number is REQUIRED.</npi></provider-id>	National Provider Identifier (NPI)	Valid 10 digit NPI Number	Character	10	Yes (Conditionally)
<hcoid> sub-element of the provider element</hcoid>	Each element must have a Example with data: <hcoid>123456</hcoid>	a closing tag that is the same as the opening tag but with a forward slash.					•
	None	Used to identify the healthcare organization	Health Care Organization Identifier	See ORYX Technical Implementation Guide		See ORYX Technical Implementation Guide	No
<pre><patient> sub-element of the provider element</patient></pre>	Opening tag for patient	Note: This tag is required in the XML document. However, it contains no data					
<pre><first-name> sub-element of the patient element</first-name></pre>	Each element must have a Example with data: <first-name>John<td>a closing tag that is the same as the opening tag but with a forward slash.  name&gt;</td><td></td><td></td><td></td><td></td><td></td></first-name>	a closing tag that is the same as the opening tag but with a forward slash.  name>					
1	None	The patient's first name	First Name	Patient's First Name	Character	30	Yes
<li><last-name> sub-element of the patient element</last-name></li>	Each element must have a Example with data: <last-name>Doe<td>a closing tag that is the same as the opening tag but with a forward slash.  ame&gt;</td><td></td><td></td><td></td><td></td><td>•</td></last-name>	a closing tag that is the same as the opening tag but with a forward slash.  ame>					•
1	None	The patient's last name	Last Name	Patient's Last Name	Character	60	Yes
 <b>    sub-element</b> of the patient element	Each element must have a Example with data:  	a closing tag that is the same as the opening tag but with a forward slash.  birthdate>					
I	None	The month, day, and year the patient was born	Birthdate	MM-DD-YYYY (Must be a valid birthdate and cannot equal UTD)	Date	10	Yes
1							
<sex> sub-element of the patient element</sex>	Each element must have a Example with data: <sex>M</sex>	a closing tag that is the same as the opening tag but with a forward slash.					
sub-element of the patient	Example with data:	a closing tag that is the same as the opening tag but with a forward slash.  The patient's sex	Sex	M,F,U	Character	1	Yes
sub-element of the patient element	Example with data: <sex>M</sex> None		Sex	M,F,U	Character	1	Yes

XML Element	Attributes	Description	Data Element	Valid Values	Data Types	Field Size	Data Required (MassHealth)
<pre><ethnic> sub-element of the patient element</ethnic></pre>		a closing tag that is the same as the opening tag but with a forward slash.					
	None	Documentation that the patient is Hispanic/Latino/Spanish	Hispanic Indicator	Y,N	Character	1	Yes
<pre><episode-of-care> sub-element of the patient element</episode-of-care></pre>	Opening tag for episode of care	Example with data: <episode-of-care measure-set="MAT-4"></episode-of-care>					
	measure-set	The code for the measure set submitted.	Measure set	MAT-4 NEWB-1 CCM	Character	22	? Yes
<admit-date> sub-element of the episode-of-care element</admit-date>	measure-set	1	-1	1			1
	None	The month, day, and year of admission for inpatient care	Admission Date	MM-DD-YYYY (Must be a valid date and cannot equal UTD)	Date	10	Yes
<pre><discharge-date> sub-element of the episode-of-care element</discharge-date></pre>	Each element must have Example with data: <discharge-date>04-06-3</discharge-date>	a closing tag that is the same as the opening tag but with a forward slash.					
	None	The month, day, and year the patient was discharged from acute care, left against medical advice, or expired during this stay.	Discharge Date	MM-DD-YYYY (Must be a valid date and cannot equal UTD)	Date	10	Yes
<pre><pthic> sub-element of the episode-of-care element</pthic></pre>	Each element must have Example with data: <pthic>123456789A<td>a closing tag that is the same as the opening tag but with a forward slash.</td><td></td><td>'</td><td></td><td></td><td></td></pthic>	a closing tag that is the same as the opening tag but with a forward slash.		'			
	None	HIC# of the patient The patient's Medicare health insurance claim number.	Patient HIC#	No embedded dashes or spaces or special characters Must have both alpha and numeric characters  Alpha characters must be upper case Length cannot be more than 12 or less than 7 characters For alphanumeric, do not allow all numeric values to be 9's. For example, do not allow 1 alpha + 999999999, etc.	Character	7-12	No

XML Element	Attributes	Description	Data Element	Valid Values	Data Types	Field Size	Data Required (MassHealth)
	Example with data:	a closing tag that is the same as the opening tag but with a forward slash.  3456789012					
	None	Used by the vendor to identify the episode of care	Vendor Tracking ID	Up to 100 characters	Character	Up to 100	No
<pre><patient-id> sub-element of the episode-of-care element</patient-id></pre>	Example with data:	a closing tag that is the same as the opening tag but with a forward slash.  4185296385					
	None	Identifier used to identify the patient at the hospital	Patient Identifier	Up to 40 characters	Character	Up to 40	Yes
episode-of-care element	Example of Yes/No ques For discharges 4/1/2007 a <detail <br="" answer-code="Y">Example of multiple cho <detail <br="" answer-code="3">Example of a user-enter</detail></detail>	row-number="0" question-cd="ASPRNRXDIS">  bice question (refer to Table A for valid answer codes):  row-number="0" question-cd="ANTIBIRCVD">					
	answer-code	ID number of the answer	Not a data element itself; each possible answer has its own unique ID	Refer to Table A for valid values	Character	2	0 Yes
	question-cd	The field name of the question	Not a data element itself; each data element is a question code	Refer to Table A for valid values	Character	2:	0 Yes
	row-number	Used to group answers together for multi-row, multi-column answers	Not a data element itself; used for grouping answers only	0-75 Depending on the number of rows allowed per question. i.e. Antibiotic Name, Date, Time and Route would have rownumber 0 for the first antibiotic, 1 for the second antibiotic, and so on.	Integer		Default to 0. For mulitiple answer options, add 1 to the row number for each additional answer

XML Element	Attributes	Description	Data Element	Valid Values	Data Types	Field Size	Data Required (MassHealth)
<answer-value></answer-value>	The answer value	The description of the answer-code	Not a data element	Place the answer text here.	Character	2000	No
Sub-element of detail	Example:		itself; each answer	Examples:			
	<answer-< td=""><td></td><td>has a value</td><td>Yes</td><td></td><td></td><td></td></answer-<>		has a value	Yes			
	value>No <td></td> <td></td> <td>No</td> <td></td> <td></td> <td></td>			No			
	value>			Male			
				Female			
				01-01-2006			
				Note: All Dates in this field			
				should be formatted as MM-DD-			
			1	YYYY			

XML Element	Attributes	Description	Data Element	Valid Values	Data Types	Field Size	Data Required (MassHealth)
	Closing tag for detail	Note: This tag is required in the XML document. However, it contains no data.					
	Closing tag for episode of care	Note: This tag is required in the XML document. However, it contains no data.					
	Closing tag for patient	Note: This tag is required in the XML document. However, it contains no data.					
	Closing tag for provider	Note: This tag is required in the XML document. However, it contains no data.					
	Closing tag for submission	Note: This tag is required in the XML document. However, it contains no data.					

Retired Elements Effective (v12.0)										
sub-element of the patient		a closing tag that is the same as the opening tag but with a forward slash.								
		The postal code of the patient's residence. For USA zip codes, the hyphen is implied. If the patient is determined to not have a permanent residence, then the patient is considered homeless.		(5 or 9 digit without hyphen, "HOMELESS", or Non-US)	Character	9 Yes				

Element Name	QUESTION/ Field Name	Data Type	Length	Occurrence	Answer Code	Answer Value	Applicable Measure(s)
A location to the NIGH	Marilana I and a State of	NIOH - H - H - H - H - H - H - H - H - H -		2 (I I 2 E			
Admission to the NICU	Was the newborn admitted to the				zation?	lv.	Turning (
	ADMNICU	Alpha	1	1	Y	Yes	NEWB-1
					N	No	
Advance Care Plan	Does the Transition Record inclu	de documentation of a	an Advance Ca	re Plan?			
Advance Care Flair	ADVCAREPLN	Alpha	1	1	lv	Yes	CCM-2
	ADVCAREFEIN	Дірпа	'	'	N	No	
					IN .	INO	
Contact Information 24 hrs/ 7 days	Does the Transition Record inclu	L de 24 hr/ 7 day Conta	ct Information	I for questions, co	ncerns, or emergencies related	d to the inpatient stay?	
•	CONTINFOHRDY	Alpha	1	1	Υ	Yes	CCM-2
		· ·			N	No	†
Contact Information for Studies Pending at	Does the Transition Record inclu	de Contact Information	n for obtaining	results of studies	pending at discharge or docu	mentation that there were no studies pending at	discharge?
Discharge	CONTINFOSTPEND	Alpha	1	1	Υ	Yes	CCM-2
					N	No	1
Current Medication List	Does the Transition Record inclu	de a Current Medication	on List or docu	mentation of no r	medications?	•	•
	MEDLIST	Alpha	1	1	Υ	Yes	CCM-2
					N	No	
Discharge Diagnosis	Does the Transition Record inclu			T	1		T
	PRINDXDC	Alpha	1	1	Υ	Yes	CCM-2
					N	No	
Discharge Disposition	What was the patient's discharge	diamonition on the de	v of disaboras	2			
Discharge Disposition	DISCHGDISP	Alpha	y or discharge	1	14	Home	All Records
	DISCHODISF	Аірпа	'	'	2	Hospice - Home	All Recolds
					2	Hospice - Health Care Facility	-
					4	Acute Care Facility	-
					5	Other Health Care Facility	-
					6	Expired	-
					7	Left Against Medical Advice/AMA	-
					8	Not Documented or Unable to Determine	1
						(UTD)	
Exclusive Breast Milk Feeding	Is there documentation that the n	ewborn was exclusive	ly fed breast n	nilk during the en	tire hospitalization?		
	EXBRSTFD	Alpha	1	1	Υ	Yes	NEWB-1
					N	No	
Gestational Age	How many weeks of gestation we						
	GESTAGE	Alpha	3	1	In completed weeks; do not round up. Two digit number with no	In completed weeks; do not round up. Two digit number with no leading zero or "UTD".	MAT-4
					leading zero or "UTD".		

Element Name	QUESTION/ Field Name	Data Type	Length	Occurrence	Answer Code	Answer Value	Applicable Measure(s)
ICD-10-CM Other Diagnosis Codes	What were the ICD-10-CM other	r diagnosis codes selec	ted for this m	edical record?			
100 TO SILL DIAGNOST COLOR	OTHRDX#	Character	3-7	24	ICD-10-CM Diagnosis code, without decimal point or dot, upper or lower case	ICD-10-CM Diagnosis code, without decimal point or dot. Allows up to 24 rows	All Records with more than one Diagnosis Code
ICD-10-PCS Other Procedure Codes	What were the ICD-10-PCS cod	e(s) selected as other	procedure(s) t	for this record?			
	OTHRPX#	Character	3-7	24	ICD-10-PCS Procedure code, without decimal point or dot, upper or lower case	ICD-10-PCSProcedure code,without decimal point or dot Allows up to 24 rows	All Records with more than one Procedure Code
ICD-10-PCS Other Procedure Dates	What were the date(s) the other	procedure(s) were per	formed?				
	OTHRPX#DT	Date	10	24	User Entered (MM-DD-YYYY)	User Entered (MM-DD-YYYY). Allows up to 24 rows	All Records with more than one Procedure Code
ICD-10-CM Principal Diagnosis Code	What was the ICD-10-CM code	selected as the principal	I al diagnosis fo	r this record?			
	PRINDX	Character	3-7	1	ICD-10-CM Diagnosis code, without decimal point or dot , upper or lower case	ICD-10-CM Diagnosis code, without decimal point or dot	All Records
ICD-10-PCS Principal Procedure Code	What was the ICD-10-PCS code	selected as the princip	pal procedure	for this record?			
	PRINPX	Character	3-7	1	ICD-10-PCS Procedure code, without decimal point or dot, upper or lower case	ICD-10-PCS Procedure code, without decimal point or dot	All records with a principal procedure
ICD-10-PCS Principal Procedure Date	What was the date the principal	procedure was perform	ned?				
	PRINPXDATE	Date	10	1	User Entered (MM- DD-YYYY)	User Entered (MM-DD-YYYY). All records with a principal procedure	All records with a principal procedure
MassHealth Member ID	What is the patient's MassHealt	h Member ID?					
	MHRIDNO	Alpha	20	1	All alpha characters must be upper case	All alpha characters must be upper case	All Records
Medical Procedures and Tests	Does the Transition Record inclu	Lude the Medical Proced	lure(s) and Te	st(s) and a Sumi	mary of Results?		
	PROCTEST	Alpha	1	1	Y	Yes	CCM-2
					N	No	

Appendix A-4: Table A for MassHealth Specific Measures (MAT 4, NEWB-1, and CCM 1, 2,3)

Element Name	QUESTION/ Field Name	Data Type	Length	Occurrence	Answer Code	Answer Value	Applicable Measure(s)
Patient Instructions	Does the Transition Record incli	Lude Patient Instructions	?				
	PATINSTR	Alpha	1	1	Υ	Yes	CCM-2
					N	No	1
Patient Refusal	Is there documentation in the mo	edical record of patient	refusal of tran	nsmission to the n	ext site of care, physician, or	other health care professional designated for foll	ow-up care?
	PATROT	Alpha	1	1	Υ	Yes	CCM-3
					N	No	
<u>Payer Source</u>	What is the patient's primary so	urce of Medicaid payme	ent for care pr	ovided?			
	PMTSRCE	Alpha	1 to 3	1	103	MassHealth FFS Network, MassHealth Limited Plans	All Records
					103	Primary Care Clinician Management (PCCM) Plan	
					118	Medicaid Managed Care: Massachusetts Behavioral Health Partnership	
					147 288	Medicaid Managed Care: Other (not listed elsewhere)  HS	
					7	Medicaid Managed Care: Tufts Health Together Plan	
					311	Medicaid Other ACO	
					24	Fallon 365 Care  Be Healthy Partnership with Health New	-
					4	England  Berkshire Fallon Health Collaborative	_
					288	Well Sense Community Alliance (former	-
					288	BMC Health Net Community Alliance)  Well Sense Mercy Alliance (former BMC	-
						Health Net Mercy Alliance)	_
					288	Well Sense Signature Alliance (former BMC Health Net Signature Alliance)	
					288	Well Sense Southcoast Alliance (former BMC Health Net Southcoast Alliance)	
					320	Community Care Cooperative	
					322	MGB Healthcare Choice (former Partners Healthcare Choice)	
					323	Steward Health Choice	
					910	My Care Family - MGB Health Plan (former	
					7	Tufts Health Together with Atrius Health	
					7	Tufts Health Together with Bloco	
						Tufts Health Together with Boston Children's	
					/	Tufts Health Together with Cambridge Health Alliance	
					328	Tufts Medicine Care Plan (former Tufts Wellforce Care Plan)	
					103	Medicaid: Includes MassHealth FFS and MassHealth Limited	
					104	Medicaid: Primary Care Clinician (PCC) Plan	

Element Name	QUESTION/ Field Name	Data Type	Length	Occurrence	Answer Code	Answer Value	Applicable Measure(s)
		, , , .	5				- дриговите положения
					208	Medicaid Managed Care – Boston Medical	
					074 007	Center HealthNet Plan	_
					274,207	Medicaid Managed Care – Tufts Health	
					440	Together Plan  Medicaid Mental Health & Substance Abuse	
					118		
					119	Plan - Mass Behavioral Health Partnership	
					119	Medicaid Managed Care - Other (not listed	
					312	elsewhere) Medicaid: Fallon 365 Care (ACO)	
						, ,	
					313	Medicaid: Be Healthy Partnership with Health	
						New England (ACO)	
					314	Medicaid: Berkshire Fallon Health	
						Collaborative (ACO)	
					315	Medicaid: BMC HealthNet Plan Community	
						Alliance (ACO)	
					316	Medicaid: BMC HealthNet Plan Mercy Alliance	•
						(ACO)	
					317	Medicaid: BMC HealthNet Plan Signature	
						Alliance (ACO)	
					318	Medicaid: BMC HealthNet Plan Southcoast	
						Alliance (ACO)	
					321	Medicaid: My Care Family with Allways Health	
						Partners (ACO)	
					324	Medicaid: Tufts Health Together with Atrius	
						Health (ACO)	
					325	Medicaid: Tufts Health Together with BIDCO	
						(ACO)	
					326	Medicaid: Tufts Health Together with Boston	
						Children's (ACO)	
					327	Medicaid: Tufts Health Together with CHA	
						(ACO)	
					328	Medicaid: Wellforce Care Plan (ACO)	
					320	Medicaid: Community Care Cooperative	
						(ACO)	
					322	Medicaid: Partners Healthcare Choice (ACO)	
					323	Medicaid: Steward Health Choice (ACO)	
					311	Medicaid: Other ACO	
					-		

Element Name	QUESTION/ Field Name	Data Type	Length	Occurrence	Answer Code	Answer Value	Applicable Measure(s)
Plan for Follow Up Care	Does the Transition Record inclu	ide a Plan for Follow-U	p Care related	d to inpatient stay	OR documentation by a ph	nysician of no follow-up care required OR patient is	a transfer to another site of care?
	PLANFUP	Alpha	1	1	Υ	Yes	CCM-2
					N	No	
Previous Live Births	Did the patient experience a live	birth prior to the curre	nt hospitalizati	on?			
	NUMPLB	Alpha	<u>1</u>	1	Υ	Yes	MAT- 4
					N	No	7
rimary Physician / Health Care Profess	sional Does the Transition Record inclu	ide the name of the Pr	imary Physicia	an or other Health	Care Professional or site of	designated for follow-up care?	
or Follow Up Care	PPFUP	Alpha	1	1	Υ	Yes	CCM-2
					N	No	
Provider Name	What is the name of the provide	of acute care inpatier	t services?				
	PROVNAME	Alpha	60	1	User Entered	User Entered	All Records
Race	What is the patient's self-reporte	d race?				•	
	MHRACE	Alpha	2-6	1	R1	American Indian or Alaska Native	All Records
					R2	Asian	
					R3	Black/African American	1
					R4	Native Hawaiian or Pacific Islander	1
					R5	White	1
					R9	Other Race	_
					UNKNOW	Unknown	
Reason for Inpatient Admission	Does the Transition Record inclu				_		
	INPTADMREAS	Alpha	1	1	Υ	Yes	CCM-2
					N	No	
Reconciled Medication List	Did the patient/caregiver receive			list at the time of	discharge?		
	RECONMEDLIST	Alpha	1	1	Υ	Yes	CCM-1
					N	No	
Studies Pending at Discharge	Does the Transition Record inclu			<u> </u>	that no studies were pend		
	STUDPENDDC	Alpha	1	1	Υ	Yes	CCM-2
					N	No	
Term Newborn	Is there documentation that the r		r >= 37 compl	eted weeks of ge	station at the time of birth?		
	TRMNB	Alphanumeric	1	1	1	Yes	NEWB-1
		1			2	No	
		<u> </u>			3	UTD	
ransition Record	Did the patient/ caregiver(s) or n	ext site of care for a tr	ansfer receive	a transition reco	rd at the time of discharge?		
	TRREC	Alpha	1	1	Υ	Yes	CCM-2
					N	No	7
Fransmission Date	What is the date documented in	the medical record that	t the Transitio	n Record was tra	nsmitted?		
	TRDATE	Date	10	1	User Entered Date (MM-DD-YYYY or UTD)	User Entered Date (MM-DD-YYYY or UTD)	CCM-3

Element Name	QUESTION/ Field Name	Data Type	Length	Occurrence	Answer Code	Answer Value	Applicable Measure(s)	
		Potir	ed Fle	monts F	ffective (v12.0)	1		
		Ketii	eu Liei	ileitis L	HECLIVE (VIZ.U)	4		
Born in this Facility	Was the newborn born in this facility?							
	BORNFAC	Alpha	1	1	Υ	Yes	NEWB-2	
					N	No		
Comfort Measures Only	Is there documentation for comfort measures only?							
	СМО	Alpha	1	1	Υ	Yes	NEWB-2	
					N	No		
DVT Prophylaxis for Cesarean Delivery	Was DVT prophylaxis administered to the patient prior to Cesarean delivery?							
	DVTP Alpha	1	1	Υ	Yes	MAT-5		
					N	No		
Ethnicity	What is the patient's self-reported ethnicity?							
	ETHNICCODE	Alpha	6	1	Alpha 6 characters or numeric is 5 numbers with a hyphen after the 4th number (####-#) (see Table B)	Alpha 6 characters or numeric is 5 numbers with a hyphen after the 4th number (####-#) (see Table B)	All Records	
Leave To L DOUBLE and a second	Ma 4: 0 C C 1 1 2 112							
Hospital Bill Number	What is the patient's hospital bill number?							
	HOSPBILL#	Alpha	20	1	Hospital internal billing number. This is a required field.	Hospital internal billing number. This is a required field.	All Records	
Newborn Bilirubin Screening	Is there documentation the infan	t received a serum or	transcutaneou	s hiliruhin screen	prior to discharge?			
Newson Billius Colecting	BILISCRN	Alpha	1	1	1	1-Yes	NEWB-2	
	DILISONN Alpha	, upila	'	,	2	2- Parental Refusal		
				3	3- No or UTD	-		
					<u></u>	[0 1.0 0. 0 1B		
ample	Does this case represent part of a sample?							
Campic	SAMPLE	Alpha	1	·	Υ	Yes	Required minimum demographic- All Records	
		, apria			N	No		
					· ·	· · -		

Question	Field Name	Valid Values	Value Descriptions
MH Race	MHRACE	R1	American Indian or Alaska Native
		R2	Asian
		R3	Black/African American
		R4	Native Hawaiian or Pacific Islander
		R5	White
		R9	Other Race
		UNKNOW	Unknown